

Capacity	5 - 15 m ³ /h
Average chip size	12mm
Maximum wood diameter	140mm x 220 mm
Required power	10 - 40 kW
PTO speed	540 - 1000 rpm
Number of knives on disk	3
Number of counter knives	2
Disk diameter	720 mm
Drive machine	Tractor
Disk weight	80 kg
Bearings	Double-row spherical roller bearing
Discharge chute	360° adjustable
Discharge chute height	1,80 m
Chipper weight	500 kg
Noise (no load)	102 dB

Capacity	10 - 20 m ³ /h
Average chip size	12mm
Maximum wood diameter	180mm x 280 mm
Required power	30 - 70 kW
PTO speed	540 - 1000 rpm
Number of knives on disk	3
Number of counter knives	2
Disk diameter	950 mm
Drive machine	Tractor
Disk weight	180 kg
Bearings	Double-row spherical roller bearing
Discharge chute	360° adjustable
Discharge chute height	2,80 m - 3,20 m
Chipper weight	920 kg
Noise (no load)	102 dB

Capacity	15 - 30 m ³ /h
Average chip size	12 mm - 20 mm
Maximum wood diameter	260mm x 380 mm
Required power	50 - 120 kW
PTO speed	540 - 1000 rpm
Number of knives on disk	3
Number of counter knives	2
Disk diameter	1150 mm
Drive machine	Tractor
Disk weight	280 kg
Bearings	Double-row spherical roller bearing
Discharge chute	360° adjustable
Discharge chute height	2,80 m - 4,00 m
Chipper weight	1280 kg
Noise (no load)	102 dB